3M52-450

- 3 — Side Mount
- M52 — Soft Closing / Light-Duty
- 450 — Length (mm)

3076-1500-L

- 3 — Side Mount
- 076 — Height & Load-Duty
- 1500 — Length (mm)
- L — Locking

DRAWER & FRIDGE SLIDES

Soft Closing Ball Bearing Drawer Slides

- Light-Duty, 45kg Load Rating • Side Mount

Ball Bearing Drawer Slides

- Light-Duty, 45kg Load Rating • Side Mount
- Medium-Duty, 125kg Load Rating • Side Mount
- Heavy-Duty, 227kg Load Rating • Side Mount

Accessories

- Locking Bar Kit • Medium & Heavy-Duty Locking Range



SOFT CLOSING BALL BEARING DRAWER SLIDES

Light-Duty, 45kg Load Rating

Side Mount



Features

- Light-duty ball bearing slide with silent soft-closing action
- Ultra smooth gliding motion with light opening force
- Durable pneumatic damping system with fast response capability
- Model lengths are measured in the "closed" position
- Lever disconnect mechanism
- Sold as matching pairs

Specifications

- Installation: Side mount
- Height: 45.6mm

PTO


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

SOFT CLOSING BALL BEARING DRAWER SLIDES


Light-Duty, 45kg Load Rating

Side Mount


- Width: 12.7mm
- Lengths: 250mm ~ 600mm
- Travel: Full extension
- Load rating: 45kg (per pair)
- Material & finish: Cold rolled steel, clear zinc coated




Hole Pattern on Inner Rail



Hole Pattern on Outer Rail





**Please refer to technical datasheets (online) for up-to-date dimensional measurment tables*

Part Number	Action	Closed Length	Load Rating
3M52-250	Soft Close / Non-Locking	250mm	45kg / Pair
3M52-300	Soft Close / Non-Locking	300mm	45kg / Pair
3M52-350	Soft Close / Non-Locking	350mm	45kg / Pair
3M52-400	Soft Close / Non-Locking	400mm	45kg / Pair
3M52-450	Soft Close / Non-Locking	450mm	45kg / Pair
3M52-500	Soft Close / Non-Locking	500mm	45kg / Pair
3M52-550	Soft Close / Non-Locking	550mm	45kg / Pair
3M52-600	Soft Close / Non-Locking	600mm	45kg / Pair

STAINLESS STEEL BALL BEARING DRAWER SLIDES

Light-Duty, 45kg Load Rating

Side Mount




Features


- Light-duty ball bearing slide
- Ultra smooth gliding motion with light opening force
- Durable pneumatic damping system with fast response capability
- Model lengths are measured in the "closed" position
- Sold as matching pairs *(non-locking)*


Specifications

- Installation: Side mount
- Height: 45.6mm
- Width: 12.7mm
- Lengths: 300mm ~ 600mm
- Travel: Full extension
- Load rating: 45kg (per pair)
- Material & finish: Stainless steel rails & ball bearings




Hole Pattern on Inner Rail





Hole Pattern on Outer Rail



SELECTLOK®


PTO

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

STAINLESS STEEL BALL BEARING DRAWER SLIDES

Light-Duty, 45kg Load Rating

Side Mount



- Locking action and/or alternative length, stainless steel ball bearing slides **may be available on request.***
  Please contact us for more information

Part Number	Action	Closed Length	Load Rating
3045-300-SS	Non-Locking	300mm	45kg / Pair
3045-400-SS	Non-Locking	400mm	45kg / Pair
3045-500-SS	Non-Locking	500mm	45kg / Pair
3045-600-SS	Non-Locking	600mm	45kg / Pair

BALL BEARING DRAWER SLIDES

Medium-Duty, 125kg Load Rating

Side Mount




Features


- Medium-duty ball bearing slide
- Ultra smooth gliding motion with super quiet action
- Durable pneumatic damping system with fast response capability
- Model lengths are measured in the "closed" position and does not include locking tabs **(add +25mm)**
- Lever disconnect mechanism *(when disconnecting, the levers move in opposite directions to release)*
- Sold as matching pairs *(locking **or** non-locking)*

Specifications


- Installation: Side mount
- Height: 53mm
- Width: 18.7mm
- Lengths: 300mm ~ 1,000mm
- Travel: Full extension
- Load rating: 125kg (per pair)
- Material & finish: Cold rolled steel, clear zinc coated



Non-Locking



Locking



Please refer to technical datasheets (online) for up-to-date dimensional measurment tables

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

BALL BEARING DRAWER SLIDES

Medium-Duty, 125kg Load Rating

Side Mount



Part Number	Action	Closed Length *(Ex. Lock Tab)*	Load Rating
3053-300	Non-Locking	300mm	125kg / Pair
3053-300-L	Locking	300mm	125kg / Pair
3053-350	Non-Locking	350mm	125kg / Pair
3053-350-L	Locking	350mm	125kg / Pair
3053-400	Non-Locking	400mm	125kg / Pair
3053-400-L	Locking	400mm	125kg / Pair
3053-450	Non-Locking	450mm	125kg / Pair
3053-450-L	Locking	450mm	125kg / Pair
3053-500	Non-Locking	500mm	125kg / Pair
3053-500-L	Locking	500mm	125kg / Pair
3053-550	Non-Locking	550mm	125kg / Pair
3053-550-L	Locking	550mm	125kg / Pair
3053-600	Non-Locking	600mm	125kg / Pair
3053-600-L	Locking	600mm	125kg / Pair
3053-650	Non-Locking	650mm	125kg / Pair
3053-650-L	Locking	650mm	125kg / Pair
3053-700	Non-Locking	700mm	125kg / Pair
3053-700-L	Locking	700mm	125kg / Pair
3053-800	Non-Locking	800mm	125kg / Pair
3053-800-L	Locking	800mm	125kg / Pair
3053-900	Non-Locking	900mm	125kg / Pair
3053-900-L	Locking	900mm	125kg / Pair
3053-1000	Non-Locking	1000mm	125kg / Pair
3053-1000-L	Locking	1000mm	125kg / Pair

BALL BEARING DRAWER SLIDES

Heavy-Duty, 227kg Load Rating

Side Mount



Features

- Heavy-duty ball bearing slide
- Ultra smooth gliding motion with super quiet action
- Durable pneumatic damping system with fast response capability
- Model lengths are measured in the "closed" position and does not include locking tabs **(add +25mm)**
- No lever disconnect mechanism
- Sold as matching pairs *(locking **or** non-locking)*

Specifications


- Installation: Side mount
- Height: 75.3mm

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

BALL BEARING DRAWER SLIDES


Heavy-Duty, 227kg Load Rating

Side Mount




- Width: 19.5mm
- Lengths: 400mm ~ 1500mm & 1800mm
- Travel: Full extension
- Load rating: 227kg (per pair)
- Material & finish: Cold rolled steel, clear zinc coated


Non-Locking




Locking



Hole patterns are the same for both inner & outer rails





**Please refer to technical datasheets (online) for up-to-date dimensional measurment tables*

Part Number	Action	Closed Length *(Ex. Lock Tab)*	Load Rating
3076-400	Non-Locking	400mm	227kg / Pair
3076-400-L	Locking	400mm	227kg / Pair
3076-450	Non-Locking	450mm	227kg / Pair
3076-450-L	Locking	450mm	227kg / Pair
3076-500	Non-Locking	500mm	227kg / Pair
3076-500-L	Locking	500mm	227kg / Pair
3076-550	Non-Locking	550mm	227kg / Pair
3076-550-L	Locking	550mm	227kg / Pair
3076-600	Non-Locking	600mm	227kg / Pair
3076-600-L	Locking	600mm	227kg / Pair
3076-650	Non-Locking	650mm	227kg / Pair
3076-650-L	Locking	650mm	227kg / Pair
3076-700	Non-Locking	700mm	227kg / Pair
3076-700-L	Locking	700mm	227kg / Pair
3076-750	Non-Locking	750mm	227kg / Pair
3076-750-L	Locking	750mm	227kg / Pair
3076-800	Non-Locking	800mm	227kg / Pair

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

BALL BEARING DRAWER SLIDES

Heavy-Duty, 227kg Load Rating

Side Mount



Part Number	Action	Closed Length *(Ex. Lock Tab)*	Load Rating
3076-800-L	Locking	800mm	227kg / Pair
3076-850	Non-Locking	850mm	227kg / Pair
3076-900	Non-Locking	900mm	227kg / Pair
3076-900-L	Locking	900mm	227kg / Pair
3076-1000	Non-Locking	1000mm	227kg / Pair
3076-1000-L	Locking	1000mm	227kg / Pair
3076-1100	Non-Locking	1100mm	227kg / Pair
3076-1100-L	Locking	1100mm	227kg / Pair
3076-1200	Non-Locking	1200mm	227kg / Pair
3076-1200-L	Locking	1200mm	227kg / Pair
3076-1300	Non-Locking	1300mm	227kg / Pair
3076-1300-L	Locking	1300mm	227kg / Pair
3076-1400	Non-Locking	1400mm	227kg / Pair
3076-1400-L	Locking	1400mm	227kg / Pair
3076-1500	Non-Locking	1500mm	227kg / Pair
3076-1500-L	Locking	1500mm	227kg / Pair
3076-1800	Non-Locking	1800mm	227kg / Pair
3076-1800-L	Locking	1800mm	227kg / Pair

ACCESSORIES

Locking Bar Kit

Medium & Heavy-Duty Locking Range




Features

- Locking bar accessory kits for: Van & ute canopy drawers, fridge slides, slide-out kitchens & pantries
- Suits:
  - 125kg medium-duty load rated drawer & fridge slides with external locking tabs
  - 227kg heavy-duty load rated drawer & fridge slides with external locking tabs
- Easy installation, high rigidity design with enhanced stability
- Allows smooth, single handed operation of drawers and slides
- Tube rod: Can be cut-down and modified to suit drawers and slides of different widths

Specifications

- Tube dimensions: 1,000mm/1 mtr. (L) x Ø12mm (OD)
- Comes with: Lever sets (2x) with connection rod tube & mounting hardware
- Tube & lever set finish: Mild steel, black powder-coated
- Mounting hardware finish: Stainless steel with nylon bushings



Part Number	Tube DIM.	Suits Duty
3053-LBAR	1000mm x Ø12mm	Medium-Duty Locking (125kg Load Rating)
3076-LBAR	1000mm x Ø12mm	Heavy-Duty Locking (227kg Load Rating)

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**