92104-B

- 92104 — Large Size
- -B — MPN Identifer

Over Centre Fastener

L101-01-SS-7

- L101 — Series
- -01 — Locking / Non-locking
- -SS — Material
- -7 — Grip Range

FASTENERS, LATCHES & CATCHES

Over Centre Fastners

- Non-Locking (Latch) • Small
- Padlockable (Latch) • Small
- Hook • Small
- Padlockable (Latch) • Medium
- Hook • Medium
- Padlockable (Latch) • Large
- Hook • Large
- Padlockable with Safety Clip (Latch & Hook) • Large



Toggle Fasteners

- Non-Locking (Latch) • Extra-Large
- Hook • Extra-Large
- Key-Lockable (Latch) • Small
- Key-Lockable (Latch) • Large

Knobs, Latches & Catches

- Aluminium Cabin Latch Retainer • Marine & Aerospace Grade
- Push-Button Latch • Knob
- Non-Locking Slide Latch • Small
- Non-Locking Slide Latch • Large
- Non-Locking Flush Pull Ring Latch • L101 Series
- Key-Lockable Flush Pull Ring Latch • L101 Series
- Panel Lock • Non-Locking, Slam Catch
- Slam Catch • Base Mount
- Slam Catch • Center Mount
- Rod Slam Catch
- Burst Latches • Rotary Catch



Spring Bolts

- 132mm Spring Bolt • Small
- 153mm Spring Bolt • Medium
- 213mm Spring Bolt • Large

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

- 80mm Spring Bolt • Small
- 123mm Spring Bolt • Small
- 166mm Spring Bolt • Medium

Weld-on Antiluces

- Stubless
- With Stubs



Threaded Antiluces

- M12

Transport Door Retainers

- Door Holder
- Plastic Door Retainer
- Under Chassis Door Retainer

Door Cover Stays & Holders

- Mild-Duty Cover Stay • Left Hand / Right Hand
- Heavy-Duty Cover Stay • Auto-Locking
- Extra Heavy-Duty Cover Stay • Auto-Locking, Left or Right Hand




Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

OVER CENTRE FASTNERS

Non-Locking (Latch)

Small





Features

- Non-Locking
- Latch only
- Suits Hook: 92106-1 (hook sold separately)

Specifications


- Material: Mild steel, zinc plated
- Base dimensions: 20mm (W) x 30mm (L)


Part Number	Locking
9171	Non-Locking


OVER CENTRE FASTNERS


Padlockable (Latch)


Small











Features

- Pad-lockable
- Latch only
- Suits Hook: 92106-1 (hook sold separately)

Specifications


- Material: Mild steel, zinc plated
- Base dimensions: 30mm (W) x 37.5mm (L)


Part Number	Locking
92106	Padlockable

OVER CENTRE FASTNERS

Hook

Small







Features

- Hook only
- Suits Latches: 92106 and 9171

Specifications

- Material: Mild steel, zinc plated
- Base dimensions: 24mm (W) X 20mm (L)


Part Number
92106-1


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

STAINLESS STEEL OVER CENTRE FASTNERS

Padlockable (Latch)

Small





Features

- Pad-lockable
- Latch only
- Suits Hook: 92106-1SS (hook sold separately)

Specifications


- Material: Stainless steel 316
- Base dimensions: 30mm (W) x 37.5mm (L)

Part Number	Locking
92106SS	Padlockable

STAINLESS STEEL OVER CENTRE FASTNERS

Hook

Small





Features

- Hook only
- Suits Latches: 92106SS

Specifications


- Material: Stainless steel 316
- Base dimensions: 24mm (W) X 20mm (L)

Part Number
92106-1SS

OVER CENTRE FASTNERS

Padlockable (Latch)

Medium





Features

- Pad-lockable
- Latch only
- Suits Hook: 92105-1 (hook sold separately)

Specifications

- Material: Mild steel, zinc plated
- Base dimensions: 37.5mm (W) x 50mm (L)

Part Number	Locking
92105	Padlockable

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

OVER CENTRE FASTNERS

Hook


Medium

Features

- Hook only
- Suits Latches: 92105

Specifications

- Material: Mild steel, zinc plated
- Base dimensions: 34mm (W) X 23.5mm (L)





Part Number
92105-1

STAINLESS STEEL OVER CENTRE FASTNERS

Padlockable (Latch)


Medium

Features

- Pad-lockable
- Latch only
- Suits Hook: 92105-1SS (hook sold separately)

Specifications

- Material: Stainless steel 316
- Base dimensions: 37.5mm (W) x 50mm (L)





Part Number	Locking
92105SS	Padlockable

STAINLESS STEEL OVER CENTRE FASTNERS

Hook


Medium

Features

- Hook only
- Suits Latches: 92105SS

Specifications

- Material: Stainless steel 316
- Base dimensions: 34mm (W) X 23.5mm (L)






Part Number
92105-1SS

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

OVER CENTRE FASTNERS

Padlockable (Latch)

Large





Features

- Pad-lockable
- Latch only
- Suits Hook: 92104-1 (hook sold separately)

Specifications


- Material: Mild steel, zinc plated
- Base dimensions: 40mm (W) x 60mm (L)

Part Number	Locking
92104	Padlockable

OVER CENTRE FASTNERS

Hook

Large





Features

- Hook only
- Suits Latches: 92104

Specifications


- Material: Mild steel, zinc plated
- Base dimensions: 45mm (W) X 27mm (L)

Part Number
92104-1

STAINLESS STEEL OVER CENTRE FASTNERS

Padlockable (Latch)

Large





Features

- Pad-lockable
- Latch only
- Suits Hook: 92104-1SS (hook sold separately)

Specifications

- Material: Stainless steel 316
- Base dimensions: 40mm (W) x 60mm (L)


Part Number	Locking
92104SS	Padlockable

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

STAINLESS STEEL OVER CENTRE FASTNERS

Hook

Large





Features

- Hook only
- Suits Latches: 92104SS

Specifications


- Material: Stainless steel 316
- Base dimensions: 45mm (W) X 27mm (L)

Part Number
92104-1SS

OVER CENTRE FASTNERS

Padlockable with Safety Clip (Latch & Hook)

Large





Features

- Pad-lockable
- Built-in safety retainer clip
- Available with/without Blue handle coating
- Includes: Hook & latch components (supplied)

Specifications


- Material: Mild steel, Zinc plated
- Base dimensions: 59.8mm (W) x 40mm (L)

Part Number	Locking	Handle Finish
92104-A	Padlockable w/ Safety Clip	None
92104-B	Padlockable w/ Safety Clip	Blue Coated

TOGGLE FASTNERS

Non-Locking (Latch)

Extra-Large





Features

- Latch only
- Suits hook: 147054 (hook sold separately)

Specifications

- Material: Mild steel, zinc plated
- Base dimensions: 56mm (W) x 82mm (L)

Part Number
147050


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

TOGGLE FASTNERS

Hook

Extra-Large







Features

- Latch only
- Suits latch: 147050 (latch sold separately)

Specifications


- Material: Mild steel, zinc plated
- Base dimensions: 18mm (W) x 84mm (L)


Part Number
147054


STAINLESS STEEL TOGGLE FASTNERS

Non-Locking (Latch)

Extra-Large







Features

- Latch only
- Suits hook: 147054-S (hook sold separately)

Specifications

- Material: Stainless steel 316
- Base dimensions: 56mm (W) x 82mm (L)


Part Number
147050S

STAINLESS STEEL TOGGLE FASTNERS

Hook

Extra-Large







Features

- Latch only
- Suits latch: 147050S (latch sold separately)

Specifications

- Material: Stainless steel 316
- Base dimensions: 18mm (W) x 84mm (L)

Part Number
147054-S

TOGGLE LATCHES

Key-Lockable (Latch)

Small



Features

- Keyed: K080
- Max. static load: 700N
- Keeper (hook catch): Included
- Secure tightening and locking of two components

Specifications

- Material:
  - Bracket: Stainless steel
  - Housing and keeper: Zinc die-cast, black powder-coated


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

TOGGLE LATCHES

Key-Lockable (Latch)

Small






- Dimensions: 76 mm (L) x 32 mm (W) x 21 mm (H)

Part Number	Keyed
TOG001-2-1	K080

TOGGLE LATCHES

Key-Lockable (Latch)

Large





Features

- Keyed alike: K080
- Max. static load: 750N
- Keeper (hook catch): Included
- Secure tightening and locking of two components

Specifications


- Material:
  - Bracket: Stainless steel
  - Housing and keeper: Zinc die-cast, black powder-coated
- Dimensions: 92 mm (L) x 36 mm (W) x 25 mm (H)

Part Number	Keyed
TOG002-2-1	K080

KNOBS, LATCHES & CATCHES

Aluminium Cabin Latch Retainer

Marine & Aerospace Grade



Features

- Aluminium cabin latch/retainer for use in cabinetry and hatches
- Operation: 90° rotation with self-locating detents
- Mounting: M6 bolts *(not supplied)*

Specifications

- Body: Aluminium, AL6061-T6 (aerospace grade)
- Hardware: Stainless steel
- Finish:
  - Brushed, raw silver anodised
  - Brushed, black anodised
- Dimensions: 30mm (L) x 15.8mm (W) x 18mm (H)




Part Number	Finish Colour
P1128-01	Silver (Raw)
P1128-02	Black


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

KNOBS, LATCHES & CATCHES


Push-Button Latch

Knob









Features

- Push to close, pull to open
- Push button closed to “lock”
- Quick installation
- Slam lock feature, auto lockable
- LH/RH interchangeable
- IP40 rated

Material


- Material: PA6GF30 (PA)
- Colour:
  - Chrome plated
  - Black


Part Number	Finish
LA-001-01	Chrome Plated
LA-001-02	Black


KNOBS, LATCHES & CATCHES

Non-Locking Slide Latch

Small









Features

- Suits door thickness: 0.8mm ~ 2.3mm
- Stroke: 6mm

Specifications


- Material: Polyamide
- Dimensions: 28mm (W) x 44mm (L) x 13mm (H)


Part Number
282-9001


KNOBS, LATCHES & CATCHES

Non-Locking Slide Latch

Large









Features

- Suits door thickness: 0.8mm ~ 2.3mm
- Stroke: 6mm

Specifications

- Material: Polyamide
- Dimensions: 35.5mm (W) x 70mm (L) x 29mm (H)


Part Number
PI5303-02

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

KNOBS, LATCHES & CATCHES

Non-Locking Flush Pull Ring Latch

L101 Series



Features

- Internal emergency release: Operational regardless of whether in "locked/unlocked" state
- Rear fixing: M5 x 20mm Phillips pan-head screws
- Suits panel thickness: Between 7mm ~ 12mm
- Max. tightening torque (mounting screws): 1.7 Nm

Specifications

- Material: Polyamide (PA6), black
- Cutout: Ø50mm round-holem




Part Number
L101-02-PA-7

KNOBS, LATCHES & CATCHES

Key-Lockable Flush Pull Ring Latch

L101 Series



Features

- Keyed: Style #4
- Internal emergency release: Operational regardless of whether in "locked/unlocked" state
- Rear fixing: M5 x 20mm Phillips pan-head screws
- Suits panel thickness: Between 7mm ~ 12mm
- Max. tightening torque (mounting screws): 1.7 Nm

Specifications

- Material: Polyamide (PA6), black
- Cutout: Ø50mm round-holem






Part Number	Keyed
L101-01-PA-7	Style #4

STAINLESS STEEL KNOBS, LATCHES & CATCHES

Non-Locking Flush Pull Ring Latch

L101 Series





Features

- Internal emergency release: Operational regardless of whether in "locked/unlocked" state
- Rear fixing: M5 x 20mm Phillips pan-head screws
- Suits panel thickness: Between 7mm ~ 12mm
- Max. working load: 835 N
- Max. tightening torque (mounting screws): 1.7 Nm

Specifications

- Material: Stainless steel 316, (marine grade), Polished
- Cutout: Ø50mm round-holem


Part Number
L101-02-SS-7

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

STAINLESS STEEL KNOBS, LATCHES & CATCHES

Key-Lockable Flush Pull Ring Latch

L101 Series





Features

- Keyed: Style #4
- Internal emergency release: Operational regardless of whether in "locked/unlocked" state
- Rear fixing: M5 x 20mm Phillips pan-head screws
- Suits panel thickness: Between 7mm ~ 12mm
- Max. working load: 835 N
- Max. tightening torque (mounting screws): 1.7 Nm

Specifications

- Material: Stainless steel 316, (marine grade), Polished
- Cutout: Ø50mm round-holem

Part Number	Keyed
L101-01-SS-7	Style #4

STAINLESS STEEL KNOBS, LATCHES & CATCHES

Panel Lock

Non-Locking, Slam Catch




Features

- Non-locking
- Slam catch

Specifications

- Material: Stainless steel 304, wire polished
- Dimesnions: 42mm (W) x 56mm (L) x 25.2mm (D)




Part Number
MS866-8

KNOBS, LATCHES & CATCHES

Slam Catch

Base Mount



Features

- Allows for slam action of doors
- Can be adapted for use with standard handles
- High quality zinc plating

Specifications

- Material: Mild steel, zinc plated
- Base dimensions: 41.4mm (W) x 100mm (L) x 17mm (H)

Part Number
95226




Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

KNOBS, LATCHES & CATCHES

Slam Catch

Center Mount





Features

- Allows for slam action of doors
- Can be adapted for use with standard handles
- High quality zinc plating


Specifications


- Material: Zinc die-cast
- Base dimensions: 21mm (W) x 124mm (L) x 19mm (H)

Part Number
SEL-229-9001

KNOBS, LATCHES & CATCHES

Rod Slam Catch





Features

- Allows for slam action for rigid rods
- Suits round locking rods without rollers (8mm ~ 10mm dia.)
- Can be used with standard multi-point handles
- High-quality zinc plating

Specifications


- Material: Zinc die-cast
- Base dimensions: 31.7mm (W) x 76.2mm (L) x 17mm (H)
- Sold individually

Part Number
2-563


KNOBS, LATCHES & CATCHES

Burst Latches


Rotary Catch




VERSION 1



VERSION 2



VERSION 3



VERSION 4

Features

- Suits 8mm (dia.) rods or striker bars
- Securely catches rod and/or striker
- Catch releases by pulling latch in the direction specified *(Refer: technical drawings)*

Specifications

- Material: Steel, Zinc Plated

Part Number	Variant
DK618-1	Version 1
DK618-2	Version 2
DK618-3	Version 3
DK618-4	Version 4



VERSION 1


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

SPRING BOLTS

132mm Spring Bolt

Small





Specifications


- Material: Mild steel, zinc plated
- Dimensions: 132mm (L) x 9.5mm (Dia.)

Part Number
9535

SPRING BOLTS

153mm Spring Bolt

Medium





Specifications


- Material: Mild steel, zinc plated
- Dimensions: 153mm (L) x 12mm (Dia.)


Part Number
9156

SPRING BOLTS

213mm Spring Bolt

Large







Specifications


- Material: Mild steel, zinc plated
- Bolt length: 213mm (L)
- Bolt Diameters:
  - 12mm
  - 16mm

Part Number	Bold Diameter
152030	12mm
152020	16mm

STAINLESS STEEL SPRING BOLTS

80mm Spring Bolt

Small





Specifications

- Material: Stainless steel 304
- Dimensions: 80mm (L) x 6.35mm (Dia.)


Part Number
152104-S

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

STAINLESS STEEL SPRING BOLTS

123mm Spring Bolt

Small





Specifications


- Material: Stainless steel 304
- Dimensions: 123mm (L) x 10mm (Dia.)

Part Number
152103-S

STAINLESS STEEL SPRING BOLTS

166mm Spring Bolt

Medium






Specifications

- Material: Stainless steel 304
- Dimensions: 166mm (L) x 12mm (Dia.)

Part Number
9156-SS

WELD-ON ANTILUCES

Stubless






Specifications

- Material: Mild steel, zinc plated
- Dimensions: 72mm (L) x 26.5mm (H)

Part Number
9777-NS

WELD-ON ANTILUCES

With Stubs





Specifications

- Material: Mild steel, zinc plated
- Dimensions: 72mm (L) x 39.5mm (H)


Part Number
9777


THREADED ANTILUCES

M12

Specifications

- Material: Mild steel, zinc plated
- Antiluce length: 72mm
- Antiluce height:
  - 55mm height (20mm x M12 thread)
  - 80mm height (45mm x M12 thread)






Part Number	Thread
9716-25	20mm x M12
9716-50	45mm x M12

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**


TRANSPORT DOOR RETAINERS

Door Holder



Specifications


- Material: Mild steel, zinc plated
- Available lengths:
  - 135mm (4" inches)
  - 190mm (6" inches)



Part Number	Length
6564-4	135mm
6564-6	190mm

TRANSPORT DOOR RETAINERS

Plastic Door Retainer






Specifications

- Fixing Holes:
  - 4x Longitudinal fixing holes - 10mm x 5mm
  - Horizontal distance - 50mm
  - Vertical distance - 17mm
- Material: White plastic
- Spring material: Stainless steel 304
- Dimensions: 65mm (L) x 44.5mm (W)

Part Number
631800


TRANSPORT DOOR RETAINERS

Under-Chassis Door Retainer




Features

- A compression spring is located inside a sealed aluminium profile housing which is tightened by plastic end covers
- Fitted with counter sunk stops which hold the arm in three 90˚ positions in the released position
- Auminium strip comes with two longitudinal channels for holding the two, infinitely adjustable fixing brackets
- Spring-loaded arm has a stroke of approximately 230 mm



Material

- Aluminium profile, natural anodized
- End covers, plastic
- End cover screws, high-grade steel
- Arm, steel, galvanized or high grade steel
- Cover on arm, rubber, black
- Fixing brackets galvanized / high-grade steel



Part Number
631901


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

DOOR COVER STAYS

Mild-Duty Cover Stay

Left Hand / Right Hand





Features

- Available to suit left or right-hand applications
- For light to medium-duty applications

Specifications

- Material: Mild steel, zinc plated
- Length: 292mm


Part Number	Orientation
M079-6-3-292-001	Left Handed
M079-6-3-292-002	Right Handed

DOOR COVER STAYS

Heavy-Duty Cover Stay

Auto-Locking





Features

- Automatic lock to keep door open
- For heavy duty applications
- Opening angles: 90°/105°/120°/135°

Specifications


- Material: Mild steel, zinc plated
- Length: 230mm

Part Number
M179-44-002A

DOOR COVER STAYS

Extra Heavy-Duty Cover Stay

Auto-Locking, Left or Right Handed



Features

- Suitable for left or right hand applications
- Automatic lock to keep door open
- For extra heavy duty applications

Specifications

- Material: Mild steel, zinc plated
- Length: 215mm

Part Number
Y230-9306


Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**

STAINLESS STEEL DOOR COVER STAYS

Mild-Duty Cover Stay

Left Hand / Right Hand





Features

- Suits left-hand applications
- For light to medium-duty applications

Specifications

- Material: Stainless steel 316
- Length: 292mm


Part Number	Orientation
M079-4-0-292-002	Left Handed

STAINLESS STEEL DOOR COVER STAYS

Heavy-Duty Cover Stay

Auto-Locking





Features

- Automatic lock to keep door open
- For heavy duty applications
- Opening angles: 90°/105°/120°/135°

Specifications

- Material: Stainless steel 304
- Length: 230mm

Part Number
M179-44-001A

Please note: The information contained within this document is correct as of time of publication and is subject to change without warning. Selectlok reserves the right to alter designs, dimensions and technical information without notice. **©2026 Selectlok Australia P/L | v2602**