



1-120.01 Cylinder Quarter-Turn Pr20.1 L30-50



Avantages

- Flush cylinder quarter-turn for cutout Pr20.1.
- Different housing lengths.
- IP65 according to DIN EN 60529 by dust cap 200-4101 (optional).
- IP65/IP67 according to DIN EN 60529 by dust cap 200-4103 (optional).
- RH / LH application.
- The quarter-turn can be screwed into the cutout with the pre-assembled cam.
- 2 keys are included in the scope of delivery.
- With stainless cylinder cover and dust-shutter.

Materials

- **Housing:** zinc die, chrome plated or black
- **Nut and serrated screw:** steel, zinc plated
- **Adapter:** zinc die, untreated

Notes

Completely pre-assembled without cam.
Negatively bent cams can not be installed pre-assembled
Maximum load for the key 4 Nm.
1. dust-shutter
2. cylinder cover



Cylinder quarter-turn, zinc die

| | Part Number | Housing length | Latching type | Door-thickness (S) | Surface | Installation type | Delivery Unit |
|----|--------------------|-----------------------|------------------------|---------------------------|----------------|--------------------------|----------------------|
| a) | 100-9081.00-10030 | 30 mm | keyed alike DIRAK 1333 | max. 20 mm | chrome plated | screw-on | 1 pc. |
| b) | 100-9081.00-10050 | 50 mm | keyed alike DIRAK 1333 | max. 40 mm | chrome plated | screw-on | 1 pc. |
| a) | 100-9081.00-20030 | 30 mm | keyed alike DIRAK 1333 | max. 20 mm | black | screw-on | 1 pc. |
| b) | 100-9081.00-20050 | 50 mm | keyed alike DIRAK 1333 | max. 40 mm | black | screw-on | 1 pc. |
| a) | 100-9082.00-10030 | 30 mm | keyed different | max. 20 mm | chrome plated | screw-on | 1 pc. |
| b) | 100-9082.00-10050 | 50 mm | keyed different | max. 40 mm | chrome plated | screw-on | 1 pc. |
| a) | 100-9082.00-20030 | 30 mm | keyed different | max. 20 mm | black | screw-on | 1 pc. |
| b) | 100-9082.00-20050 | 50 mm | keyed different | max. 40 mm | black | screw-on | 1 pc. |
| a) | 100-9083.00-10030 | 30 mm | keyed alike DS200 | max. 20 mm | chrome plated | screw-on | 1 pc. |
| b) | 100-9083.00-10050 | 50 mm | keyed alike DS200 | max. 40 mm | chrome plated | screw-on | 1 pc. |
| a) | 100-9083.00-20030 | 30 mm | keyed alike DS200 | max. 20 mm | black | screw-on | 1 pc. |
| b) | 100-9083.00-20050 | 50 mm | keyed alike DS200 | max. 40 mm | black | screw-on | 1 pc. |

***** Accessories

- c) 1-102 **Cams L35/45 Steel**
- 1-103 **Slide Shoe for Cams**
- c) 1-262 **Cams variable**
- 1-270 **Dust Caps and Sealing Plug Pr20.1**
- 1-270.01 **Finger Pull for Quarter-Turn Pr20.1**
- MLA 1-103 **MLA Door Contact**

