

HALF-EURO

Compression Folding-T Handle

Integrated 12V Electronic Central Locking (ELS)

Features

- Aesthetically pleasing, contemporary design
- Half-euro keyed: J201
- Rear fixing, mounting bracket
- Operational features:
 - Folding-t operation
 - Integrated 12V electronic central locking (ELS)
 - Manual key override for ELS handle variants
 - Integrated padlock hasp (Ø8mm)
 - 90° handle rotation
 - Adjustable three-point roller cam
- Rear fixing, mounting bracket
- Supplied with gasket

Dimensions, Materials & Finish

Dimensions

- Handle dish: 140.2mm (W) x 141mm (H) x 66mm (D)
- Grip range: 28mm ~ 43.4mm (H=)
- Roller:
 - Long - 35mm (L) x Ø17mm / Ø16.7mm (dia/taper)

Material & Finish

- Handle and dish: Zinc alloy, die-cast
- Cam, shaft and bracket mount: Zinc die-cast, zinc plated
- Roller: Glass fibre reinforced polyamide (PA6)
- Colour and finish:
 - Dish - Black, powder-coated
 - Handle - Chrome plated






Part Number	Description	Actuation	Keyed	Colour / Finish
NP0075-03-U3-J201-CL	NP0075 Folding-T w/ Mounting Bracket	12 Volt Integrated Central Locking (ELS)	J201 (Half-Euro)	Black PC / Chrome PLT

HALF-EURO

Compression Folding-T Handle

Integrated 12V Electronic Central Locking (ELS)

FOLDING-T




HALF-EURO

Compression Folding-T Handle

Integrated 12V Electronic Central Locking (ELS)

FOLDING-T



HALF-EURO

Compression Folding-T Handle

Integrated 12V Electronic Central Locking (ELS)

FOLDING-T

