

## HEAVY-DUTY DRAWER SLIDES

### 227kg Load Rated

Locking & Non-Locking Varieties

#### Features

- Sold as pairs: (both locking or both non-locking)
- Heavy-duty 227kg rating
- Ultra smooth ball bearing, gliding motion
- High rigidity design with enhanced stability
- Durable dampening system with fast response capability
- Variant lengths (mm) are as "closed,"
- Extended lengths are approximately "double"
- Advertised length does not include locking tabs (add +25mm)
- Full travel extension (inner rail extends the full length of the slide)
- Mounting: Side mount

#### Dimensions, Materials & Finish

- **Length:** 400mm ~ 1500mm & 1800mm
- **Height:** 75.3mm
- **Width:** 19.5mm
- **Material:** Cold rolled steel, clear zinc

#### Remarks

- **Please note:** Does not come with fixing hardware
- No lever disconnect



Part Number	Locking / Non-Locking	Closed Length (Ex Lock Tab)	Load Rating
3076-400	Non-Locking	400 mm	227 kg
3076-400-L	Locking	400 mm	227 kg
3076-450	Non-Locking	450 mm	227 kg
3076-450-L	Locking	450 mm	227 kg
3076-500	Non-Locking	500 mm	227 kg
3076-500-L	Locking	500 mm	227 kg
3076-550	Non-Locking	550 mm	227 kg
3076-550-L	Locking	550 mm	227 kg
3076-600	Non-Locking	600 mm	227 kg
3076-600-L	Locking	600 mm	227 kg
3076-650	Non-Locking	650 mm	227 kg
3076-650-L	Locking	650 mm	227 kg
3076-700	Non-Locking	700 mm	227 kg
3076-700-L	Locking	700 mm	227 kg
3076-750	Non-Locking	750 mm	227 kg
3076-750-L	Locking	750 mm	227 kg

## HEAVY-DUTY DRAWER SLIDES

### 227kg Load Rated

Locking & Non-Locking Varieties

Part Number	Locking / Non-Locking	Closed Length (Ex Lock Tab)	Load Rating
3076-800	Non-Locking	800 mm	227 kg
3076-800-L	Locking	800 mm	227 kg
3076-850	Non-Locking	850 mm	227 kg
3076-900	Non-Locking	900 mm	227 kg
3076-900-L	Locking	900 mm	227 kg
3076-950	Non-Locking	950 mm	227 kg
3076-950-L	Locking	950 mm	227 kg
3076-1000	Non-Locking	1000 mm	227 kg
3076-1000-L	Locking	1000 mm	227 kg
3076-1100	Non-Locking	1100 mm	227 kg
3076-1100-L	Locking	1100 mm	227 kg
3076-1200	Non-Locking	1200 mm	227 kg
3076-1200-L	Locking	1200 mm	227 kg
3076-1300	Non-Locking	1300 mm	227 kg
3076-1300-L	Locking	1300 mm	227 kg
3076-1400	Non-Locking	1400 mm	227 kg
3076-1400-L	Locking	1400 mm	227 kg
3076-1500	Non-Locking	1500 mm	227 kg
3076-1500-L	Locking	1500 mm	227 kg
3076-1800	Non-Locking	1800 mm	227 kg
3076-1800-L	Locking	1800 mm	227 kg

### Non-Locking



