

MEDIUM-DUTY DRAWER SLIDES

125kg Load Rated

Locking & Non-Locking Varieties

Features


- Sold as pairs: (both locking or both non-locking)
- Medium-duty 125kg rating
- Super quiet
- Ultra smooth ball bearing, gliding motion
- High rigidity design with enhanced stability
- Durable dampening system with fast response capability
- Variant lengths (mm) are as "closed,"
- Extended lengths are approximately "double"
- Advertised length does not include locking tabs (add +25mm)
- Full travel extension (inner rail extends the full length of the slide)
- Mounting: Side mount

Dimensions, Materials & Finish

- **Length:** 300mm ~ 1000mm
- **Height:** 53mm
- **Width:** 18.7mm
- **Material:** Cold rolled steel, clear zinc

Remarks

- **Please note:** Does not come with fixing hardware
- **Lever disconnect:** When disconnecting, the levers move in opposite directions to release



Part Number	Locking / Non-Locking	Closed Length (Ex Lock Tab)	Load Rating
3053-300	Non-Locking	300 mm	125 kg
3053-300-L	Locking	300 mm	125 kg
3053-350	Non-Locking	350 mm	125 kg
3053-350-L	Locking	350 mm	125 kg
3053-400	Non-Locking	400 mm	125 kg
3053-400-L	Locking	400 mm	125 kg
3053-450	Non-Locking	450 mm	125 kg
3053-450-L	Locking	450 mm	125 kg
3053-500	Non-Locking	500 mm	125 kg
3053-500-L	Locking	500 mm	125 kg
3053-550	Non-Locking	550 mm	125 kg
3053-550-L	Locking	550 mm	125 kg
3053-600	Non-Locking	600 mm	125 kg
3053-600-L	Locking	600 mm	125 kg
3053-650	Non-Locking	650 mm	125 kg
3053-650-L	Locking	650 mm	125 kg


MEDIUM-DUTY DRAWER SLIDES

125kg Load Rated


Locking & Non-Locking Varieties

Part Number	Locking / Non-Locking	Closed Length (Ex Lock Tab)	Load Rating
3053-700	Non-Locking	700 mm	125 kg
3053-700-L	Locking	700 mm	125 kg
3053-800	Non-Locking	800 mm	125 kg
3053-800-L	Locking	800 mm	125 kg
3053-900	Non-Locking	900 mm	125 kg
3053-900-L	Locking	900 mm	125 kg
3053-1000	Non-Locking	1000 mm	125 kg
3053-1000-L	Locking	1000 mm	125 kg

Non-Locking



L	A	B	C	D	E	A2	B2	C2
300	192					192		
350	224					256		
400	64	288				288		
450	64	192	320			96	320	
500	64	224	384			128	384	
550	64	256	416			160	416	
600	64	256	416	480		160	480	
650	64	192	288	448	512	192	384	512
700	64	192	320	480	576	224	416	576
750	64	192	352	512	608	224	448	608
800	64	192	384	544	672	224	480	672
850	64	192	416	576	736	224	512	736
900	64	192	448	608	768	224	512	768
950	64	192	480	640	832	224	576	832
1000	64	192	480	672	864	224	640	864




MEDIUM-DUTY DRAWER SLIDES

125kg Load Rated

Locking & Non-Locking Varieties

Locking



L	A	B	C	D	A2	B2	C2
300	192				192		
350	224				256		
400	288				288		
450	192	320			96	320	
500	224	384			128	384	
550	256	416			160	416	
600	288	480			160	480	
650	288	512			192	384	512
700	320	576			224	416	576
750	192	384	608		224	448	608
800	192	384	544	672	224	480	672
850	192	416	576	736	224	512	736
900	192	448	608	768	224	512	768
950	192	480	640	832	224	576	832
1000	192	480	672	896	224	640	896

