

## INTEGRATED, INDUSTRY KEYED SWING HANDLE

### Eselon+® Series

#### FSDT™ Range

#### Features

- **Short cam-shaft design:** Ideal for tight builds or installations where trimming shafts isn't practical.
- **Sleek, low-profile styling:** Vandal-resistant and designed to suit any enclosure aesthetic.
- **Positive tactile feedback:** A satisfying "click" at 90° confirms full engagement during operation.
- **Integrated key barrel:** Ready to go with industry-popular key options: CL001, 92268, CL604 or CL003.
- **IP42 rated - Polyamide handle:** Ideal for indoor or controlled environments.
- **IP66 rated - Zinc handle:** Built for outdoor exposure; available in black powder-coated or chrome-plated finishes.
- **Modular F Cutout compatibility:** Perfect for biaxial symmetrical door frames using Selectlok's advanced F-Series™ Symmetrical Door Technology (FSDT™).



#### Remarks


- **Single and three-point cams:** Available in various H-offset / dimensions (*note: three-point T-CAM's require a 4mm raised stud to ensure rod clearance*)
- **Recommended Pairing:** For best results, we recommend Selectlok's PI5346-MB-6-2-S F-Series™ Corner Hinges with handles featuring either a dedicated FSDT™ design, or the use of an F Cutout Adapter Plate in biaxial symmetrical builds.

| Part Number       | Description            | Material & Finish | IP Rating   | Remarks  |
|-------------------|------------------------|-------------------|-------------|--|
| 1107S-EV1-SPBB-01 | CL001   Swing Handle   | Polyamide, Black  | IP42        | Eselon+ Series, Integrated Swing Handle - PA, Keyed CL001 Ind. Key Barrel                  |
| 1107S-EV1-SPBB-02 | 92268   Swing Handle   | Polyamide, Black  | IP42        | Eselon+ Series, Integrated Swing Handle - PA, Keyed 92268 Ind. Key Barrel                  |
| 1107S-EV1-SPBB-03 | 604   Swing Handle     | Polyamide, Black  | IP42        | Eselon+ Series, Integrated Swing Handle - PA, Keyed 604 Ind. Key Barrel                    |
| 1107S-EV1-SPBB-07 | CL003   Swing Handle   | Polyamide, Black  | IP42        | Eselon+ Series, Integrated Swing Handle - PA, Keyed CL003 Ind. Key Barrel                  |
| 1107S-EV1-SZBB-01 | CL001   Swing Handle   | Zinc, Black PC    | IP66        | Eselon+ Series, Integrated Swing Handle - Zn BLK, Keyed CL001 Ind. Key Barrel              |
| 1107S-EV1-SZBB-02 | 92268   Swing Handle   | Zinc, Black PC    | IP66        | Eselon+ Series, Integrated Swing Handle - Zn BLK, Keyed 92268 Ind. Key Barrel              |
| 1107S-EV1-SZBB-03 | 604   Swing Handle     | Zinc, Black PC    | IP66        | Eselon+ Series, Integrated Swing Handle - Zn BLK, Keyed 604 Ind. Key Barrel                |
| 1107S-EV1-SZBB-07 | CL003   Swing Handle   | Zinc, Black PC    | IP66        | Eselon+ Series, Integrated Swing Handle - Zn BLK, Keyed CL003 Ind. Key Barrel              |
| 1107S-EV1-SZCC-01 | CL001   Swing Handle   | Zinc, Chrome PLT  | IP66        | Eselon+ Series, Integrated Swing Handle - Zn CR, Keyed CL001 Ind. Key Barrel               |
| 1107S-EV1-SZCC-02 | 92268   Swing Handle   | Zinc, Chrome PLT  | IP66        | Eselon+ Series, Integrated Swing Handle - Zn CR, Keyed 92268 Ind. Key Barrel               |
| 1107S-EV1-SZCC-03 | 604   Swing Handle     | Zinc, Chrome PLT  | IP66        | Eselon+ Series, Integrated Swing Handle - Zn CR, Keyed 604 Ind. Key Barrel                 |
| 1107S-EV1-SZCC-07 | CL003   Swing Handle   | Zinc, Chrome PLT  | IP66        | Eselon+ Series, Integrated Swing Handle - Zn CR, Keyed CL003 Ind. Key Barrel               |
| 1107S-FCUTOUT-01  | F Cutout Adapter Plate | Zinc, Zinc PLT    | IP42 / IP66 | For adapting S Cutout swing handles to fit F Cutout door profiles <i>(Sold Separately)</i> |
| 1107S-FCUTOUT-02  | F Cutout Adapter Plate | Polyamide, Black  | IP42 / IP66 | For adapting S Cutout swing handles to fit F Cutout door profiles <i>(Sold Separately)</i> |


## INTEGRATED, INDUSTRY KEYED SWING HANDLE

### Eselon+® Series

#### FSDT™ Range



TO ADAPT HANDLES UTILISING THE STANDARD S CUTOUT (ESELON®, MILLENNIUM®, & ESELON+® SERIES - INC. SWITCH UP). FOR COMPATIBILITY WITH F CUTOUT™ DOOR PROFILES, PLEASE ENSURE USE OF THE F CUTOUT ADAPTER PLATE (FSDT™ RANGE).



## INTEGRATED, INDUSTRY KEYED SWING HANDLE

### Eselon+® Series

FSDT™ Range


#### MODULAR SYMMETRY DOOR FRAME DESIGNS.

*Biaxial symmetry at the frame is essential to rotating the door around its centre point.*

#### Remarks



For best results: We recommend pairing our PI5346-MB-6-2-S (FSDT™) Corner Hinges with handles fitted using either the F Cutout Adapter Plate or a dedicated F-Series™ handle profile handle when designing biaxial symmetrical door frames.




(Fig. 4)

## ACCESSORY PADLOCK PLATE


### Padlockable Handle Adapter Plate

Part No. P1117 (Compatible with Fig. 6 - Version "S-01")

- When adapting pad-lockable handles: Some Millennium® and Eselon® series pad-lockable swing handles feature a single-bolt lower mount design. These require a P1117 Padlock Accessory Plate when covering to either S or F Cutout profiles featuring a 25 x 50 (mm) lower cutout (P1117 available upon request; subject to MOQ and lead times.)



(Fig. 5)



#### S CUTOUT | STD. PROFILE VARIATIONS

Compatible with:  
ESELON®, MILLENNIUM® and ESELON+® SERIES SWING HANDLES



(Fig. 6)

